

INSTALLATION AND USERMANUAL

Summary

For users	P.3-P.11
> 1. General information:	3-
1.1. Contents:	3-
1.2. Operating conditions and range:	3-
1.3. Advantages of different modes:	4-
1.4. Kind reminder:	4-
> 2. Operations	6-
2.1. Notice before using	6-
2.2. Operation instructions	6-
3. Technical specification	14-
For installers and professionals	P.12-P.29
1. Transportation	15-
2. Installation and maintenance	15-
2.1. Notice before installation:	15-
2.2. Installation instruction	16-
2.3. Trial after installation	20-
2.4. Maintenance and winterizing	21 -
3 . Trouble shooting for common faults	21 -
> 4. Failure code	22-
APPENDIX 1: HEATING PRIORITYWIRING DIAGRAM(OPTIONAL)	23-
APPENDIX 2: HEATING PRIORITY WIRING DIAGRAM (OPTIONAL)	24-
APPENDIX 3: HEATING PRIORITY WIRING DIAGRAM (OPTIONAL)	25-
5. Wi-Fi Setting	26 -
6 OPTIONAL CONTROLL FRS-VortexLinkandSwitch	- 3

Please read it carefully and keep it for subsequent use.

This manual provides you necessary information for optimal use and maintenance. This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.




- a. Please read the following tips before installation, use and maintenance.
- b. Installation, removal and maintenance must be carried out by Professional in accordance with the instructions.
- c. Gas leakage test must be done before and after installation.

1. Use


- a. It must be installed or removed by professionals, and it is forbidden to dismantle and refit without permission.
- b. Don't put obstacles before the air inlet and outlet of the heat pump.

2. Installation


a. This product must be kept away from any source of fire.




b. The installation can't be in a closed environment or indoors, and must be kept well ventilated.



c. Vacuum completely before welding, field welding is not allowed, welding can only be performed by professional personnel in professional maintenance center.



d. Installation must be stopped if any gas leakage, and the unit must be returned to professional maintenance center.



3. Transportation and Storage

- a. Sealing is not allowed during transportation
- b. Transporting goods at a constant speed is needed to avoid sudden acceleration or sudden braking, so as to reduce the collision of goods.
- c. The unit must be far away from any source of fire.
- d. Storage place must be bright, wide, open and good ventilation, ventilation equipment is required.


4. Maintenance Notice

- a. If maintenance or scrap is required, contact an authorized service center nearby
- b. Qualification requirement
 All operators who dispose gas must be qualified by valid certification which issued by professional agency.
- c. Please strictly comply with the requirement from manufacturer when maintenance or filling gas. please refer to the technical service manual.

≥ 1. General information:

1.1. Contents:

After unpacking, please check if you have all the following components.



NOTICE:

Please install the water unions step by step.



1.2. Operating conditions and range:

ITEMS		RANGE
Operating range Air temp		-7°C~43°C/19°F~109°F
Town cotting	heating	18°C~40°C /64°F~104°F
Temp. setting	cooling	12°C~30°C /54°F~86°F

The heat pump will have ideal performance in the operation range Air 15°C \sim 25°C / 59°F \sim 77°F.

1.3. Advantages of different modes:


The heat pump has two modes: Smart and Silence. They have different advantages under different conditions

MODE	RECOMMENDATION	ADVANTAGES
41	Smart mode As standard	Heating capacity: 20% to 100% capacity Intelligent optimization Fast heating
41	Silence mode Use at night	Heating capacity: 20% to 80% capacity Sound level: 3dB (A) lower than Smart mode.


1.4. Kind reminder:

This heat pump has Power-off memory function. When the power is recovered, the heat pump will restart automatically.


- 1.4.1. The heat pump can only be used to heat the pool water. It can NEVERbe used to heat other flammable or turbid liquid.
- 1.4.2. Don't lift the water union when moving the heat pump since the titanium heat exchanger inside the heat pump will be damaged.




1.4.3. Don't put obstacles before the air inlet and outlet of the heat pump.




1.4.4. Don't put anything into inlet or outlet, or the efficiency of the heat pump will be reduced or even stopped.




1.4.5. Don't use or store combustible gas or liquid such as thinners, paint and fuel to avoid fire.




1.4.6. If any abnormal circumstances occurred, e.g.: abnormal noises, smells, smokes and leakage of electricity, switch off the main power immediately and contact your local dealer. Don't try to repair the heat pump by yourselves.



1.4.7. The main power switch should be out of the reach of Children.



1.4.8. Please cut off the power in the lightning storm weather.



1.4.9. Please note that following codes are not failure.

	Codes
No water flow	E3
Anti-Freezing Reminder	Ed
Out of the operating range	Eb
Insufficient water flow or pump	E 5
blocked	
Power abnormal	E 5

≥ 2. Operations

2.1. Notice before using

- 1 For longer service life, please ensure water pump is on before heat pump is on, and water pump is off after heat pump is off.
- 2 Ensureno water leakage on piping system, then unlock screen and power on heat pump.

2.2. Operation instructions





SYMBOL	DESIGNATION	FUNCTION
Ú	ON/OFF	 Power On/Off Wifi setting

	Lock/Unlock Mode Selection	 Pressit for 3 seconds to unlock/lock screen After screen is unlocked, press it to select mode. Auto 12~40°C / 54°F~104°F Heating 18~40°C / 64°F~104°F Cooling 12~30°C / 54°F~86°F 	
4	Speed	Select Smart/Silence mode	
+_	Up/Down	Adjust set temperature	
Ó	Timer	Time and timer setting	


Note:

- 1 Screenlock:
- a. If no operation in 30 seconds, screen will be locked.
- b. When HP is off, screen will be dark and "0%" will be displayed.
- c. Press for 3 seconds to lock screen and it will be dark
- ② Screenunlock:
- a. Press 🖲 for 3 seconds to unlock screen and it will be lit up.
- b. Only after screen is unlocked, any other buttons can be functioned.





(1) Timer on setting, will be flashing.



1. Hours flashing, press + or to set the hour.

Press to confirm the hour to turn on.

Minutes flashing, press + or - to set the minute.

Press to confirm the minute to turn on.


3. When the time is flashing, press * once to turn on cycle.

Finally, press O once to confirm timer on setting.

The icon in the lower left corner indicates as below:

(1)	Timer on every day
1	Timer on one time
No symbol	No timer setting

(2) Timer off setting, will be flashing.



1. Hours flashing, press + or ■ to set the hour.

Press to confirm the hour to turn off.

Minutes flashing, press + or - to set the minute.

Press to confirm the minute to turn off.

3. When the time is flashing, press * once to turn on cycle.

Finally, press O once to confirm timer off setting.

The icon in the lower left corner indicates as below:

	Timer off every day
0	Timer off one time
No symbol	No timer setting

(3) After setting, the icon in the lower left corner indicates as below:

<u>4</u>	Timer on every day	Timer off every day
and alternate display	Timer on every day	Timer off one time
	Timer on every day	No timer off
and alternate display	Timer on one time	Timer off every day
	No timer on	Timer off every day
01	Timer on one time	Timer off one time
1	Timer on one time	No timer off
0	No timer on	Timer off one time
No symbol	No timer on	No timer off

6. Defrosting

a. Auto Defrosting: When heat pump is defrosting, will be flashing. After defrosting, will stop flashing.

b. Compulsory Defrosting: When heat pump is heating, press and — together
for 5 seconds to start compulsory defrosting, and will be flashing. After defrosting,
will stop flashing.
(Note: Compulsory defrosting intervals should be more than 30 minutes and the
compressorshould run for more than 10 minutes at heating model.)
7. Temperature display conversion between °Cand °F:
Press " and " and " together for 5 seconds to switch between °C and °F.
8. Wifi setting
Please kindly check the last page.
2.3. Advanced application
2.3.1 Parameter Checking
4 4
a. Press and together for 5 seconds to enter "Parameter Checking" status,
the parameter code "P0" and the parameter value "0" will display on the screen, such as
"P0 0", which means water pump running way is continuous.
b. In"Parameter Checking" status, press or to check the parameters.
b. In"Parameter Checking" status, press • or — to check the parameters.
2.3.2 Parameter Modification
4
In"Parameter Checking" status, press to enter the "Parameter Modification" mode,
press + or _ to change the values, then press to confirm and quit "Parameter
Modification" mode, press to quit "Parameter Checking" status.
· · · · · · · · · · · · · · · · · · ·

2.3.3 Parameter list

NO.	Content	Adjust range	Step length
P0	Water Pump Running Way	0: Continuous 1: Water temp control 2: Time/water temp control	1
P1	Time Setting (Only available when the water pump running way is set to "2")	10 ~ 120 min	5 min
P2	Compressor Continuously Running Time betweenDefrosting Mode	30 ~ 90min	1min
P 3	Defrosting EntryTemp	-17~0°C/1~32°F	1°C/1°F
P4	MaximumDefrosting Running Time	1 ~12min	1min
P5	Defrosting ExitTemp	8 ~ 30°C/46 ~ 86 °F	1°C/1°F

2.3.4 Running status checking

Press for 5 seconds, enter into "Running status checking", and the screen alternately shows status point "C0" and its corresponding value. Check all status points and their corresponding value through or ____, Press to quit "running status checking" mode.

Running status checking list

Symbol	Content	Unit
C0	Inlet water temp.	°C/ °F
C1	Outlet water temp.	°C/ °F
C2	Ambient temp.	°C/ °F
СЗ	Exhaust temp.	°C/ °F
C4	Outer coil pipe temp. (Evaporator)	°C/ °F
C 5	Gas return temp.	°C/ °F
C6	Inner coil pipe temp. (Titanium heat exchanger)	°C/ °F
C9	Cooling plate temp.	°C/ °F
C10	Electronic expansion valve opening	Р
C11	DC fan speed	(r/min)

2.4. Daily maintenance and winterizing

2.4.1. Daily Maintenance




A Please don't forget to cut off power supply of the heat pump

- Please clean the evaporator with household detergents or clean water, NEVERuse gasoline, thinners or any similar fuel.
- Check bolts, cables and connections regularly.

2.4.2. Winterizing

In winter season when you don't swim, please cut off power supply and drain water out of the heat pump. When using the heat pump under 2°C/36°F, make sure there is always water flow.




≥3. Technical specification

Model	VortexPro 10	VortexPro 13	VortexPro 17	VortexPro 21	VortexPro 28	VortexPro35T
Advised pool volume (m³)	25~45	30~55	40~75	50~95	65~120	90~160
Working air temp (°C)	7°C~43°C/19°F~109°F					
Performance Condition: Air26°C / 80°F, Water 26°C / 80°F, Humidity 80%						
Heating capacity (kW)	10.3	12.8	17.3	20.4	27.3	35.6
C.O.P	14.5~6.9	15.0~7.4	14.8~5.9	14.5~5.7	14.6~6.2	15.5~5.5
C.O.Pat 50%speed	10.4	11.0	10.5	10.2	10.8	10.3
Performance Condition:	Air15°C / 59°F,	Water 26°C/8	30°F, Humidity	70%		
Heating capacity (kW)	7.1	8.9	11.4	14.0	18.0	24.0
C.O.P	7.3~4.6	7.7~4.8	7.5~4.3	7.4~4.2	7.8~4.6	7.7~4.5
C.O.Pat 50%speed	6.4	6.8	6.1	6.1	6.5	6.8
Performance Condition:	PerformanceCondition: Air35°C / 95°F, Water 28°C / 82°F, Humidity 80%					
Cooling capacity (kW)	4.5	5.5	7.7	9.8	12.1	16.4
Rated input power(kW) at air 15°C/ 59°F	0.19~1.5	0.22~1.73	0.3~2.6	0.38~3.3	0.57~3.8	0.62~5.2
Rated input current(A) at air 15°C / 59°F	0.83~6.5	0.96~7.52	1.3~11.3	1.65~14.3	2.48~16.5	0.89~7.4
Power supply	230V/1 Ph/50Hz			400V/3 Ph/50Hz		
Advised water flux (m³/h)	3~4	4~6	6.5~8.5	8~10	10~12	12~18
Sound pressure1m dB(A)	38.6~49.9	42.1~50.7	43.1~53.8	40.9~54.2	43.5~54.9	42.6~54.7
Sound pressure10m dB(A)	18.6~29.9	22.1~30.7	23.1~33.8	20.9~34.2	23.5~34.9	22.6~34.7
Water pipe in-out Spec (mm)	48.3					
Net Dimension LxWxH	894×359×	954×359×	954×429×	954×429×	1084×429×	1154×539×
(mm)	648	648	648	755	948	948
Net Weight (kg)	49	50	63	68	90	120


- 1. The values indicated are valid under ideal conditions: Pool covered with an isothermal cover, filtration system running at least 15 hours a day.
- 2. Related parameters are subject to adjustment periodically for technical improvement without further notice. For details please refer to nameplate.

≥ 1. Transportation

1.1. When storing or moving the heat pump, the heat pump should be at the upright position.



1.2. When moving the heat pump, do not lift the water union since the titanium heat exchanger inside the heat pump will be damaged.




2. Installation and maintenance

The heat pump must be installed by a professional team. The users are not qualified to install by themselves, otherwise the heat pump might be damaged and risky for users' safety.

2.1. Notice before installation:

2.1.1. The inlet and outlet water unions can't bear the weight of soft pipes. The heat pump must be connected with hard pipes!





2.1.2. In order to guarantee the heating efficiency, the water pipe length should be ≤10m between the pool and the heat pump.

2.2. Installation instruction

2.2.1. Location and size

The heat pump should be installed in a place with good ventilation





2.2.2. Heat pump installation.


- The frame must be fixed by bolts (M10) to concrete foundation or brackets. The concrete foundation must be solid; the bracket must be strong enough and anti-rust treated;
- > The heat pump needs a water pump (Supplied by the user). The recommended pump specification-flux:refer to Technical Parameter, Max. lift ≥10m
- When the heat pump is running, there will be condensation water discharged from the bottom, please pay attention to it. Please insert the drainage tube (accessory) into the hole and clip it well, then connect a pipe to drain off the condensation water.

2.2.3. Wiring and protecting devices and cable specification


- Connect to appropriate power supply, the voltage should comply with the rated voltage of the products.
- > Well earth the heat pump.
- Wiring must be connected by a professionaltechnician according to the circuit diagram.
- > Set breaker or fuse according to the local code (leakage operating current ≤ 30mA).
- The layout of power cable and signal cable should be orderly and not affecting each other. Considering the environmental conditions (ambient temperature, direct sunlight, rain, grid voltage, cable length, etc.), the cross-sectional area of the cable can be appropriately increased.

1. Connecting your power wire

VortexPro10 ~ VortexPro17




VortexPro21~ VortexPro35T




Note: For VortexPro 10~ VortexPro 13 model, please open the back panel for power connection. The operation is the same as above.

A2. Wiring diagram

A. For power supply: 230V 50Hz



B. For power supply:400V 50Hz



NOTE:

Must be hard wired, no plug allowed(In Australia, VortexPro13 has plug for optional)

- For your safe use in winter, it's strongly recommended to equip heating priority function.
- For the detailed wiring diagram, please refer to Appendix 1.



▲3. Options for protecting devices and cable specification

MODEL		VortexPro 10	VortexPro 13	VortexPro 17	VortexPro 21	VortexPro 28	VortexPro35T
Breaker	Rated Current A	12.0	14.5	18.0	21.0	24.0	12.0
Dicarci	Rated Residual Action Current mA	30	30	30	30	30	30
Max input current (A)		10.0	12.0	15.0	17.0	20.0	9.5
Fuse A		12.0	14.5	18.0	21.0	24.0	12.0
PowerCord (mm²)		3×2.5	3×2.5	3×4	3×4	3×6	5x2.5
Signalcable (mm²)		3×0.5	3×0.5	3×0.5	3×0.5	3×0.5	3×0.5

NOTE: The above data is adapted to power cord ≤ 10m . If power cord is > 10m, wire diameter must be increased. The signal cable can be extended to 50m at most.

2.3. Trial after installation



A Please check all the wirings carefully before turning on the heat pump.

2.3.1. Inspection before use

- Check installation of the whole heat pump and the pipe connections according to the pipe connecting drawing;
- Check the electric wiring according to the electrical wiring diagram and earthing connection:
- Make surethat the main power is well connected;
- Check if there is any obstacle in front of the air inlet and outlet of the heat pump

2.3.2. Trial

- The user is advised to start the water pump before the heat pump, and turn off the heat pump before the water pump for long life circle.
- The user should start the water pump, and check for any leakage of water; Power on and press the ON/OFF button of the heat pump, and set desired temperature in the thermostat.
- In order to protect the heat pump, the heat pump is equipped with start delay function. When starting the heat pump, the fan will start to run in 3 minutes, in another
 - 30 seconds, the compressor will start to run.
- After pool heat pump startsup, check for any abnormal noise from the heat pump.
- Check the temperature setting


2.4. Maintenance and winterizing

2.4.1 Maintenance



The maintenance should be carried out once per year by qualified professional technician.


Cut off power supply of the heat pump before cleaning, examination and repairing. Do not touch the electronic components until the LED indication lights on PCB turn off.



- Please clean the evaporator with household detergents or clean water, NEVERuse gasoline, thinners or any similar fuel.
- Check bolts, cables and connections regularly.

2.4.2 Winterizing

In winter season when you don't swim, please cut off power supply and drain water out of the heat pump. When using the heat pump under 2°C, make sure there is always water flow.



3 . Trouble shooting for common faults

REASON	SOLUTION	
No power	Wait until the power recovers	
Power switch is off	Switch on the power	
Fuse burned	Check and change the fuse	
The breaker is off	Check and turn on the breaker	
evaporator blocked	Remove the obstacles	
Air outlet blocked	Remove the obstacles	
3 minutes start delay	Wait patiently	
Set temp. too low	Set proper heating temp.	
3 minutes start delay	Wait patiently	
	No power Power switch is off Fuse burned The breaker is off evaporator blocked Air outlet blocked 3 minutes start delay Set temp. too low	


If above solutions don't work, please contact your installer with detailed information and your model number. Don't try to repair it yourself.

ATTENTION! Please don't try to repair the heat pump by yourselfto avoid any risk.


≥ 4. Failure code

NO.	DISPLAY	NOT FAILUREDESCRIPTION	
1	E3	No water protection	
2	E 5	Power supply excesses operation range	
3	E 6	Excessive temp difference between inlet and outlet water(Insufficient water flow	
3	LO	protection)	
4	Eb	Ambient temperature too high or too low protection	
5	Ed	Anti-freezing reminder	
6	OFF	Customer Control Switch DIN2 Disconnect	
NO.	DISPLAY	FAILUREDESCRIPTION	
1	E1	High pressure protection	
2	E2	Low pressure protection	
3	E4	Phaseslack protection (three phase model only)	
4	E7	Water outlet temp too high or too low protection	
5	E8	High exhaust temp protection	
6	EA	Evaporator overheat protection (only at cooling mode)	
7	P0	Controller communication failure	
8	P1	Water inlet temp sensorfailure	
9	P2	Water outlet temp sensorfailure	
10	P3	Gas exhaust temp sensor failure	
11	P4	Heating (Evaporator)coil pipe temp sensor	
12	P5	Gas return temp sensor failure	
13	P6	Cooling (Titanium heat exchanger) coil pipe temp sensor	
14	P7	Ambient temp sensor failure	
15	P8	Cooling plate sensor failure	
16	P 9	Current sensor failure	
17	PA	Restart memory failure	
18	F1	Compressor drive module failure	
19	F2	PFC module failure	
20	F3	Compressor start failure	
21	F4	Compressor running failure	
22	F5	Inverter board over current protection	
23	F6	Inverter board overheat protection	
24	F7	Current protection	
25	F8	Cooling plate overheat protection	
26	F9	Fan motor failure	
27	Fb	Capacitor no charging protection	
28	FA	PFC module over current protection	
29	8888	Communication failure	


APPENDIX 1: HEATING PRIORITY WIRING DIAGRAM (OPTIONAL)



APPENDIX 2: HEATING PRIORITY WIRING DIAGRAM (OPTIONAL)



APPENDIX 3: HEATING PRIORITY WIRING DIAGRAM (OPTIONAL)




Parallel connection with filtration timer

If the user wants to connect the water pump timer, the installer should connect water pump timer and water pump wiring of heat pump in parallel. So that water pump can start when water pump timer or water pump wiring of heat pump is connected, and water pump will only be switched off when both are disconnected at the sametime.

5. Wi-Fi Setting

5.1 APPDownload



Android Mobile please download from




iPhone please download from



5.2 Account registration

a) Registration by Cell phone number/Email




b) Cell phone number registration




5.3 Create family

Please set a name for the family and choose the room of the device.




5.4 Three methods of device binding

Please connect your phone to the Wi-Fi network first.



5.4.1 Auto Discovery (Bluetooth)

- a) Please make sure the Bluetooth function is enabled on your phone.
- b) Press of for 3 seconds after the screen unlock, will be flashing rapidly to enter Wi-Fi binding status.
- c) Click "Add Device", wait for the app to search for the device and then click "add", then follow the instructions below to finish the device binding.




Note:

- 1. It will take some time to scan, please be patient.
- 2. Only Wi-Fi modules with Bluetooth functions can use this method

5.4.2 EZ Mode (Easy-connect)

- a) Activate the Wi-Fi module
 - Press of for 3 seconds after the screen unlocks, will be flashing rapidly to enter Wi-Fi binding status.
- b) Click "Add device", and follow the instructions below to finish binding.
 on the screen once the Wi-Fi connection success.




Note: After allowing the APPto locate, it can read the Wi-Fi name automatically.

5.4.3 AP Mode

Activate Wi-Fi module

- a) Press \bigcirc for 10 seconds after the screen unlock, \bigcirc will be flashing slowly to enter Wi-Fi binding status.
- b) Click "Add device", and follow the instructions below to finish binding.
 on the screen once the Wi-Fi connection success.



Note: If it doesn't jump automatically, click "Confirm hotspot connection, next".

- 5.4.4 If connect fails, please make sure your network name and password are correct.


 And your router, mobile phone and device are as close as possible.
- 5.4.5 Wi-Fi rebinding (When Wi-Fi password changes or network configuration changes)

Press of for 10 seconds, will be flashing slowly for 60 seconds. Then will be off. The original binding will be removed. Follow steps above for rebinding.

Remarks: Please make sure the router is configured at 2.4 GHz.

5.5 Operation instructions

The following instructions are for heat pumps with heating and cooling functions.



5.6 Share devices with your family members

After binding, if your family members also want to control the device.

Please let your family members register the APP first, and then the administrator can operate as below (The following pictures are for reference only):



Then your family members will see this heat pump once they log in to the APP.

Notice: 1. The weather forecast is just for reference.

2. APPis subject to update without notice.



OPERATION & INSTALLATION INSTRUCTIONS

DESCRIPTION


An all in one system for autonomous control of heat pumps in line with the filtration system. This unit permits the heat pump to run outside of filtration hours set by sanitation timers allowing for full automatic heat demand.

OPERATION

The VortexLinkis designed to switch a 240Vac pump rated to 10Amps 2400 watts from the switch inputs. This unit is designed to be connected to a chlorinator and the outputs from heat pumps. VortexLink is fitted with an LCD screen which displays whether the pump is on and whether the chlorinator or heat pump is demanding the pump to be operating.

HEAT DEMAND

A heating device, whatever it is, is designed to heat the pool water only when the water circulates. Most of the time, a pool is filtered between 6 and 8 hours a day. But such a time can't be sufficient sometimes to maintain the water at the desired temperature, depending on the seasons. This is the reason why the heat pump is equipped with the "sample" function that will manage the temperature of the pool. Every hour (times vary depending on the heat pump model) the filtration pump is started for 5 minutes. If after 5 minutes, the temperature of the water is above the required temperature, the filtration turns off for one more hour. Otherwise, the filtration and the heat pump are going to keep on operating until the desired temperature is reached.



INSTALLATION INSTRUCTIONS

Mounting


Find a suitable location to mount the VortexLinkbox. Ideally, as with all pool equipment, it should be installed out of direct weather and no closer than 3m from the water's edge and a minimum 600mm above ground. Fixthe mounting bracket to a solid structure and slide the VortexLinkon, keeping in mind that the power cable is 1.8m long and should be plugged directly into a general power outlet, not into an extension lead.

Pump

The filtration pump plugs into the 240V outlet beneath the VortexLink.

Heating Demand

Connect the heat pump control cable from the VortexLinkto the heat pump, refer to the heat pump manufacturer's instructions and the below diagram for the appropriate connection and note that damage caused by incorrect connections will void warranties.



WARRANTY

This range of product is covered by a limited 2 year warranty against component failure or faulty workmanship from the date of installation.

 $Faulty\ units\ should\ be\ returned\ in\ the\ first\ instance\ to\ the\ dealer\ from\ which\ the\ unit\ was\ purchased.$

Damage to the unit due to misuse, power surges, lightning strikes or installation that is not in accordance with the manufacturer's instruction may void the warranty. Warranty does not include on-site labour or travel costs to or from installation site.

Customer Record.(To be retained by the customer)

Dealer/Installer Name	
Serial Number	
Date Installed	



OPERATION & INSTALLATION INSTRUCTIONS

DESCRIPTION

A plug and play option for heat pump systems with independent circulation pumps. Can be fitted during the installation of the heat pump.

OPERATION

The VortexSwitch is designed to switch a 240Vac pump maximum rated to 9.98 Amps 2395 watts from the switch inputs. This unit is designed to be plugged into a general power outlet and the heating priority connections on the heat pump.


HEATING PRIORITY

The heat pump is designed to heat or cool the water of the pool only when the water circulates through it. By connecting the VortexSwitch to the heat pump, and then the circulation pump to the VortexSwitch, the heat pump will control when the circulation pump is run. This system allows the heat pump to maintain the set-point temperature in either heating or cooling mode.

Every 60 minutes, the circulation pump is started for 2 minutes to sample the water temperature. If after 2 minutes, the temperature of the water is below/ above the required set-point temperature (depending if in heating or cooling mode), the circulation pump will be turned off for a further 60 minutes before sampling the water temperature again.

If the heat pump sensesthat the water has cooled/heated below/above the temperature set-point, the circulationpump and the heat pump will continue to operate until the desired set-point temperature is reached.

By following the instructions in the heat pump instruction manual, setting a start and stop time will ensure that the heat pump is not sampling the water temperature and running throughout the night if running noise is a factor.



INSTALLATION INSTRUCTIONS

Mounting


Find a suitable location to mount the VortexSwitch box. Ideally as with all pool equipment it should be installed out of direct weather and no closerthan 3m from the water's edge and a minimum of 600mm above ground. Lift up the two mounting tabs and use two appropriate screwsto mount the VortexSwitch box to the wall, keeping in mind that the power cable is 1.8mlong and should be plugged directly into a general power outlet, not into an extensionlead.

Pump

The circulation pump plugs into the 240V outlet beneath the VortexSwitch.

Heating Priority

Connect the heating priority cable from the VortexSwitch to the heat pump, refer to the heat pump manufacturer's instructions and the below diagram for the appropriate connection and note that damage caused by incorrect connections will void warranties.



WARRANTY

Thisrange of product is covered by a limited 2 year warranty against component failure or faulty workmanship from the date of installation.

Faulty units should be returned in the first instance to the dealer from which the unit was purchased.

Damage to the unit due to misuse, power surges, lightning strikesor installation that is not in accordance with the manufacturer's instruction may void the warranty. Warranty does not include on-site labour or travel coststo or from installation site.

Customer Record. (To be retained by the customer)

Dealer/Installer Name		
Serial Number		
Date Installed		

The factory reserves the final interpretation right.
And keep the right to stop or change product specification and design without prior
notice at any time, no need to bear the resulting obligations.
Version: Gd3Ir32